

<b>A</b>		
A-6550	Aluminium sleeves - for wire rope	67
<b>E</b>		
E-1151	Commercial Shackles - dee shackles with screw collar pin - electro-galvanized	47
E-1152	Commercial Shackles - dee shackles with counter sunk screw pin - electro-galvanized	48
E-1161	Commercial Shackles - bow shackles with screw collar pin - electro-galvanized	46
E-1162	Commercial Shackles - bow shackles with counter sunk screw pin - electro-galvanized	47
E-2751	Shackles generally to B.S. 3032 table 2 - large dee shackles with screw collar pin - electro-galvanized	40
E-2755	Shackles generally to B.S. 3032 table 1 - small dee shackles with screw collar pin - electro-galvanized	41
E-2761	Shackles generally to B.S. 3032 table 3 - large bow shackles with screw collar pin - electro-galvanized	38
E-2765	Shackles generally to B.S. 3032 table 4 - small bow shackles with screw collar pin - electro-galvanized	39
E-6110	Thimbles - standard commercial	51
E-6120	Thimbles - heavy duty stub-end	51
E-6131	Thimbles - generally to DIN 6899 (B) - electro-galvanized	52
E-6135	Thimbles - generally to DIN 3090 - electro-galvanized	54
E-6143	Round thimbles - ordinary type - electro-galvanized	59
E-6180	Thimbles - for rope	58
E-6220	Wire rope clips - generally to DIN 741	64
E-6260	Wire rope clips - generally to EN 13411-5 Type A	63
E-6280	Wire rope clips - generally to NF 00026	65
E-6351	Rigging screws Eye - Eye - according to DIN 1480	85
E-6352	Rigging screws Hook - Hook - according to DIN 1480	85
E-6353	Rigging screws Jaw - Jaw - according to DIN 1480	86
E-6354	Rigging screws Eye - Hook - according to DIN 1480	86
E-6355	Rigging screws with Welding Ends - according to DIN 1480	87
E-6943	Galvanized malleable iron snatch blocks - with eye, one sheave	130
E-6944	Galvanized malleable iron snatch blocks - with hook, one sheave	130
E-7200	Carabine hooks - standard type	133
E-7210	Carabine hooks - with pressed thimble	133
E-7220	Carabine hooks - with screw nut	134
E-7230	Carabine hooks - with pressed thimble and screw nut	134
E-7300	Quick links - standard type	135
E-7310	Quick links - with enlarged opening	135
E-7631	Long link chain - generally to DIN 763, commercial quality - electro-galvanized	115
E-7661	Short link chain - generally to DIN 766, commercial quality - electro-galvanized	115
E-7910	Chain repair links - commercial quality	136
E-7920	S-hooks - standard type	136
E-7930	Spring pins - single type	137
E-7931	Spring pins - double type	137
E-7940	Linch pins - with round spring ring	138
E-8140	Green Pin® eye bolts - generally to DIN 580 - electro-galvanized	107
E-8142	Green Pin® eye nuts - generally to DIN 582 - electro-galvanized	107
E-8180	Green Pin® eye bolts C15E - generally to DIN 580 - electro-galvanized	108
E-8182	Green Pin® eye nuts C15E - generally to DIN 582 - electro-galvanized	108
<b>G</b>		
G-2751	Shackles generally to B.S. 3032 table 2 - large dee shackles with screw collar pin - hot dipped galvanized	40
G-2755	Shackles generally to B.S. 3032 table 1 - small dee shackles with screw collar pin - hot dipped galvanized	41
G-2761	Shackles generally to B.S. 3032 table 3 - large bow shackles with screw collar pin - hot dipped galvanized	38
G-2765	Shackles generally to B.S. 3032 table 4 - small bow shackles with screw collar pin - hot dipped galvanized	39
G-3151	Yellow Pin Shackles - dee shackles with screw collar pin	37
G-3153	Yellow Pin Shackles - dee shackles with safety pin	37
G-3161	Yellow Pin Shackles - bow shackles with screw collar pin	36
G-3163	Yellow Pin Shackles - bow shackles with safety pin	36
G-3351	Shackles generally to DIN 82101 type A - dee shackles with screw collar pin - hot dipped galvanized	33
G-3352	Shackles generally to DIN 82101 type B - dee shackles with counter sunk screw pin - hot dipped galvanized	33
G-3356	Shackles generally to DIN 82101 type C - dee shackles with safety bolt - hot dipped galvanized	34
G-3461	Shackles generally to DIN 82016 type A - bow shackles with screw collar pin - hot dipped galvanized	32
G-3466	Shackles generally to DIN 82016 type B - bow shackles with safety bolt - hot dipped galvanized	32
G-4151	Green Pin® Standard Shackles - dee shackles with screw collar pin	16
G-4153	Green Pin® Standard Shackles - dee shackles with safety bolt	17
G-4154	Green Pin® Trawling Shackles - dee shackles with square headed screw pin	27
G-4159	Green Pin® Sunken Hole Shackles - dee shackles with square sunken hole screw pin	29
G-4161	Green Pin® Standard Shackles - bow shackles with screw collar pin	14
G-4163	Green Pin® Standard Shackles - bow shackles with safety bolt	15
G-4164	Green Pin® Trawling Shackles - bow shackles with square headed screw pin	26
G-4169	Green Pin® Sunken Hole Shackles - bow shackles with square sunken hole screw pin	28
G-4263	Green Pin® Wide Mouth Towing Shackles - bow shackles with safety bolt	24
G-5163	Green Pin® Polar Shackles - bow shackles with safety bolt	22
G-5263	Green Pin® Super Shackles - bow shackles with safety bolt	21
G-6038	Green Pin® Heavy Duty Shackles - dee shackles with safety bolt	19
G-6131	Thimbles - generally to DIN 6899 (B) - hot dipped galvanized	52
G-6132	Thimbles - generally to DIN 6899 (C)	53
G-6133	Thimbles - generally to DIN 83311	53
G-6135	Thimbles - generally to DIN 3090 - hot dipped galvanized	54

G-6142	Thimbles - generally to US Federal Specification FF-T-276b type III - hot dipped galvanized . . . . .	56
G-6143	Round thimbles - ordinary type - hot dipped galvanized . . . . .	59
G-6144	Round thimbles - container type . . . . .	59
G-6151	Thimbles - pennant line type . . . . .	57
G-6160	Thimbles - towing type . . . . .	57
G-6170	Thimbles - generally to EN 13411-1 - hot dipped galvanized . . . . .	56
G-6240	Green Pin® wire rope clips - generally to EN 13411-5 Type B . . . . .	63
G-6311	Green Pin® turnbuckles Eye - Eye - generally to ASTM F1145-92 . . . . .	81
G-6312	Green Pin® turnbuckles Hook - Hook - generally to ASTM F1145-92 . . . . .	82
G-6313	Green Pin® turnbuckles Jaw - Jaw - generally to ASTM F1145-92 . . . . .	80
G-6314	Green Pin® turnbuckles Eye - Hook - generally to ASTM F1145-92 . . . . .	84
G-6315	Green Pin® turnbuckles Eye - Jaw - generally to ASTM F1145-92 . . . . .	83
G-6340	Closed body rigging screws Eye - Eye . . . . .	88
G-6343	Closed body rigging screws Jaw - Jaw . . . . .	87
G-6345	Closed body rigging screws Eye - Jaw . . . . .	88
G-6411	Green Pin® sockets - closed spelter socket - hot dipped galvanized . . . . .	73
G-6412	Green Pin® sockets - open spelter socket - hot dipped galvanized . . . . .	74
G-6413	Green Pin® sockets - open wedge socket - hot dipped galvanized . . . . .	75
G-6416	Gold Nose™ sockets - closed spelter socket . . . . .	75
G-6917	Galvanized malleable iron blocks - with eye, one sheave . . . . .	127
G-6918	Galvanized malleable iron blocks - with hook, one sheave . . . . .	127
G-6922	Galvanized malleable iron blocks - with eye, two sheaves . . . . .	128
G-6923	Galvanized malleable iron blocks - with hook, two sheaves . . . . .	128
G-6927	Galvanized malleable iron blocks - with eye, three sheaves . . . . .	129
G-6928	Galvanized malleable iron blocks - with hook, three sheaves . . . . .	129
G-7632	Long link chain - generally to DIN 763, commercial quality - hot dipped galvanized . . . . .	115
G-7662	Short link chain - generally to DIN 766, commercial quality - hot dipped galvanized . . . . .	115
G-7713	Green Pin® swivels Eye - Eye . . . . .	95
G-7723	Green Pin® swivels Jaw - Eye . . . . .	95

**P**

P-3754	Fishing Shackles - dee shackles with square head screw pin . . . . .	44
P-3764	Fishing Shackles - bow shackles with square head screw pin . . . . .	44
P-3780	Fishing Shackles - bow shackles with square head screw pin and one flattened eye . . . . .	42
P-3785	Fishing Shackles - dee shackles with square head screw pin and one flattened eye . . . . .	43
P-3790	Fishing Shackles - bow shackles with square sunken hole screw pin and one flattened eye . . . . .	42
P-3795	Fishing Shackles - dee shackles with square sunken hole screw pin and one flattened eye . . . . .	43
P-4170	Key for Green Pin® Sunken Hole Shackles . . . . .	28
P-6031	Green Pin® Heavy Duty Polar Shackles - bow shackles with safety bolt . . . . .	23
P-6033	Green Pin® Sling Shackles - bow shackles with safety bolt . . . . .	20
P-6036	Green Pin® Heavy Duty Shackles - bow shackles with safety bolt . . . . .	18
P-6190	Thimbles - tubular type . . . . .	58
P-6411	Green Pin® sockets - closed spelter socket - painted . . . . .	73
P-6412	Green Pin® sockets - open spelter socket - painted . . . . .	74
P-6413	Green Pin® sockets - open wedge socket - painted . . . . .	75
P-6615	Green Pin® plate lifting clamp, type E - for lifting and vertical transportation . . . . .	118
P-6616	Green Pin® plate lifting clamp, type ES - for lifting and vertical transportation . . . . .	118
P-6625	Green Pin® plate lifting clamp, type EU - for lifting and transportation in all directions . . . . .	119
P-6626	Green Pin® plate lifting clamp, type EUS - for lifting and transportation in all directions . . . . .	119
P-6635	Green Pin® plate lifting clamp, type EH - for lifting and horizontal transportation . . . . .	120
P-6636	Green Pin® plate lifting clamp, type EHS - for lifting and horizontal transportation . . . . .	120
P-6651	Green Pin® plate lifting clamp spare part - lifting eye . . . . .	121
P-6652	Green Pin® plate lifting clamp spare part - lock lever assembly . . . . .	121
P-6654	Green Pin® plate lifting clamp spare part - cam assembly . . . . .	121
P-6658	Green Pin® plate lifting clamp spare part - universal eye component . . . . .	121
P-6685	Green Pin® lifting clamp, type ESV - for lifting and transportation of steel beams . . . . .	121
P-6703A	Green Pin® swivel hooks, grade 8 - with safety latch . . . . .	102
P-6703C	Green Pin® swivel hooks, grade 4 - with safety latch . . . . .	102
P-6706A	Green Pin® sliding choker hooks - with safety latch . . . . .	103
P-6714A	Green Pin® large eye hooks, grade 8 - with safety latch . . . . .	101
P-6714C	Green Pin® large eye hooks, grade 4 - with safety latch . . . . .	101
P-6731	Green Pin® pipe line hooks . . . . .	103
P-6760	Viking hooks - with tapered opening . . . . .	104
P-6765	G-hooks - with tapered opening . . . . .	105
P-6768	Fishcon hooks - with tapered opening . . . . .	104
P-6835	Green Pin® master links - with flat part . . . . .	92
P-6855	Green Pin® master link assemblies - with flat part . . . . .	93
P-6860R	Green Pin® connecting links - for connecting grade 80 chain-slings - red . . . . .	91
P-6860Y	Green Pin® connecting links - for connecting grade 80 chain-slings - yellow . . . . .	91
P-6916	American pattern cargo blocks - with eye, one sheave . . . . .	131
P-6951	Green Pin® Snatch blocks - type 601S, with Green Pin® Shackle . . . . .	125
P-6952	Snatch blocks - type 601H, with hook . . . . .	126
P-6953	Snatch blocks - type 601T . . . . .	126
P-7110G	Green Pin® lever type loadbinders - with hooks - green . . . . .	113
P-7110R	Green Pin® lever type loadbinders - with hooks - red . . . . .	113
P-7120	Green Pin® spring type loadbinders - with hooks . . . . .	113

P-7130G	Green Pin® ratchet type loadbinders - with hooks - green	112
P-7130R	Green Pin® ratchet type loadbinders - with hooks - red	112
P-7150G	Green Pin® ratchet type loadbinders - without hooks - green	112
P-7150R	Green Pin® ratchet type loadbinders - without hooks - red	112
P-7170	Green Pin® ratchet type loadbinders - with hooks	111
P-7190	Green Pin® ratchet type loadbinders - without hooks	111
P-7710	Thrust bearing swivels Jaw - Jaw	96
P-7720	Thrust bearing swivels Jaw - Eye	96
P-7730	Thrust bearing swivels Eye - Jaw	97
P-7740	Thrust bearing swivels Eye - Eye	97
P-7750	Thrust bearing swivels Hook - Jaw	98
P-7760	Thrust bearing swivels Hook - Eye	98

**R**

R-7821	Shackles - dee shackle with screw pin	141
R-7822	Shackles - short twisted type	142
R-7825	Shackles - bow shackle with screw pin	141
R-7829	Shackles - long dee type	142
R-7830	Closed body rigging screws Jaw - Jaw	145
R-7834	Fork terminals - swage type	146
R-7835	Eye terminals - swage type	146
R-7836	Threaded terminals - swage type	147
R-7837	Open body rigging screws Hook - Hook	144
R-7838	Open body rigging screws Hook - Eye	144
R-7839	Open body rigging screws Eye - Eye	145
R-7840	Eye bolts - generally to DIN 580	148
R-7842	Eye nuts - generally to DIN 582	148
R-7860	Thimbles - heavy type	143
R-7863	Wire rope clips - generally to DIN 741	143
R-7872	Carabine hooks - standard type	149
R-7873	Quick links - standard type	151
R-7874	Quick links - with enlarged opening	151
R-7875	Carabine hooks - with pressed thimble	149
R-7876	Carabine hooks - with screw nut	150
R-7877	Swivels Eye - Eye	147
R-7880	Short link chain - generally to DIN 766	152
R-7890	Long link chain - generally to DIN 763	152

**S**

S-1151	Commercial Shackles - dee shackles with screw collar pin - self coloured	47
S-1152	Commercial Shackles - dee shackles with counter sunk screw pin - self coloured	48
S-1154	Commercial Shackles - dee shackles with square head screw pin	48
S-1161	Commercial Shackles - bow shackles with screw collar pin - self coloured	46
S-1162	Commercial Shackles - bow shackles with counter sunk screw pin - self coloured	47
S-1164	Commercial Shackles - bow shackles with square head screw pin	46
S-1165	Mooring Shackles - bow shackles with screw pin	30
S-1170	Commercial Shackles - danlino V shackles with square head screw pin	49
S-2751	Shackles generally to B.S. 3032 table 2 - large dee shackles with screw collar pin - self coloured	40
S-2755	Shackles generally to B.S. 3032 table 1 - small dee shackles with screw collar pin - self coloured	41
S-2761	Shackles generally to B.S. 3032 table 3 - large bow shackles with screw collar pin - self coloured	38
S-2765	Shackles generally to B.S. 3032 table 4 - small bow shackles with screw collar pin - self coloured	39
S-3351	Shackles generally to DIN 82101 type A - dee shackles with screw collar pin - self coloured	33
S-3352	Shackles generally to DIN 82101 type B - dee shackles with counter sunk screw pin - self coloured	33
S-3356	Shackles generally to DIN 82101 type C - dee shackles with safety bolt - self coloured	34
S-3461	Shackles generally to DIN 82016 type A - bow shackles with screw collar pin - self coloured	32
S-3466	Shackles generally to DIN 82016 type B - bow shackles with safety bolt - self coloured	32
S-3557	Crown Shackles - dee shackles with round pin	30
S-3559	Crown Shackles - dee shackles with round pin	31
S-3770	Fishing Shackles - dee shackles with square head screw pin	45
S-6134	Thimbles - generally to DIN 3091	55
S-6330	Turnbuckles (hamburgers) - for deck lashing	89
S-6414	Swage sockets - open type	76
S-6415	Swage sockets - closed type	77
S-6500	Prescon sleeves - with colour code	68
S-6653	Green Pin® plate lifting clamp spare part - lock spring	121
S-6655	Green Pin® plate lifting clamp spare part - cam pin	121
S-6656	Green Pin® plate lifting clamp spare part - pivot	121
S-6657	Green Pin® plate lifting clamp spare part - eye pin	121
S-7630	Long link chain - generally to DIN 763, commercial quality - self coloured	115
S-7660	Short link chain - generally to DIN 766, commercial quality - self coloured	115
S-8140	Green Pin® eye bolts - generally to DIN 580 - self coloured	107
S-8142	Green Pin® eye nuts - generally to DIN 582 - self coloured	107
S-8180	Green Pin® eye bolts C15E - generally to DIN 580 - self coloured	108
S-8182	Green Pin® eye nuts C15E - generally to DIN 582 - self coloured	108